Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name EL NOPAL (NA PLAZA)							Telephone Number	Date of Inspection	ID#	
Address 470 NEW ALBANY PLAZA, NEW ALBANY IN 47150						Est Own	812-944-1341 502-457-8630	07/09/2020		
Owner ELIAS ROMAN]	Purpose X Routine	Follow Up	Released 07/09/2020	
Owner's Address 1212 DANT DRIVE GEORGETOWN, IN 47122							Follow-up Complaint			
Person in Charge OSWALDO VASQUEZ							Pre-Operational			
Responsible Person's Email OSWALDOVASQUEZ2328@GMAIL.COM] :	Temporary HACCP	Menu Type 1 _ 2 _ 3 _ 4 <u>X</u> 5 _		
Certified Food Handler OSWALDO VASQUEZ							Other (list)			
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section #	C	NC	R	Narrative To Be Corrected						
345 245 291	×	x x	X	Measured food in prep line low-boy and topping cooler to be 60-70 degrees. Anything prepared the morning of the inspection was relocated- but tamales, stuffed peppers, cooked vegetables measuring about 41 degrees were discarded. Issue was caused by lid being left open. Unit was able to properly maintain temperatures at the end of the inspection. Observed staff using both handsinks in kitchen prep area for other pupposes than handwashing. Observed wiping rags scattered throughout BOH/outside of sanitizer buckets and allowed to dry. Observed establishment with bleach test strips, but using ammonia in dish machine and sanitizing buckets. It should be noted however, that there was bleach onsite. Establishment needs the proper quat. amonia test strips.						
Summary of Viola	tions		-	NC _	R					
Received by (name and title printed): OSWALDO VASQUEZ							Inspected by (name and title printed): A.J. Ingram CHEIF FOOD SPECIALIST			
Received by (signature):							Inspected by (signature):			
cc:		, a (:		cc:			cc:		